

#### RHF30 Ш S RHF36 Blanc $\supset$ RHF42 0 I (liner is to be installed after hood is mounted on wall) Chimney is trimmable on site (refer to assembly and Σ installation instructions for more details) 2 • Modifications are not available for this item ⋖ ш Espresso Horizon Cobblestone






▲ WARNING: This product can expose you to chemicals including formaldehyde exposure, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## 250 CFM STAINLESS VENTILATOR

RHBB 250 CFM





- Works with Fabuwood Stainless Steel Interior Hood Liners


- Available for all Fabuwood Allure Wood Hoods except RHA483021
   Efficient 300 Max Blower CFM operates at 3 sones at normal speed
   Bright 1-level, heat resistant LED modules enhance your cooking experience.
- 2-Speed rocker controls operate the fan speeds
- Easy-to-clean, fully enclosed bottom with dishwasher-safe aluminum mesh filter
   ADA compliant, remote operation is possible using a standard UL approved wall switch. Requires ADA adapter kit, HAWSK3 (sold separately, contact Customer Service Team to request Custom Accessory)
   Optional non-duct recirculation kit (RHBB DCT) and filters (RHBB FLTR) available for indoor exhaust recirculation to suit your needs.
- Comes with Broan-NuTone one (1) year Limited Warranty. Refer to installation guide for full details.

NOTE: Dealers should refer to the Heating Appliance Manufacturer's Specifications for individual ventilation requirements. Fabuwood is not responsible for improper blower selection or

# **400 CFM STAINLESS VENTILATOR**

RHBB 400 CFM






- Works with Fabuwood Stainless Steel Interior Hood Liners.
- · Available for all Fabuwood Allure wood Hoods
- Powerful 450 MAX Blower CFM operates at 1 sone at normal speed.
- Bright 1-level, heat resistant LED modules enhance your cooking experience.
- Up-front 3-Speed rotary controls makes operation easy.
   Dishwasher-safe aluminum mesh filters feature quick-release latch for easy removal.
- ENERGY STAR certified custom range hood insert.
- Optional non-duct recirculation kit (RHBB DCT) and filters (RHBB FLTR) available for indoor exhaust recirculation to suit your needs.
- Comes with Broan-NuTone one (1) year Limited Warranty. Refer to installation guide for full details.

NOTE: Dealers should refer to the Heating Appliance Manufacturer's Specifications for individual ventilation requirements. Fabuwood is not responsible for improper blower selection or installation.

## **600 CFM STAINLESS VENTILATOR**

RHBB 600 CFM





- · Available for all Fabuwood Allure wood Hoods
- Broan\* SmartSense\* Auto Operation adjusts the fan speed based on the heat coming from your range so you never have to worry about adjusting the speed while cooking.
- Powerful 650 Max Blower CFM and Ultra-quiet 0.5 sone at normal speed.
- WiFi connectivity enables hands-free operation with voice activation using Alexa or Google Assistant.
- 4-Speed back-lit soft touch control features a smooth, easy-to-clean surface
- Bright 2-level, heat resistant LED modules enhance your cooking experience
- Dishwasher-safe hybrid baffle filter offers superior grease capture.
- Code Ready Technology adjusts CFM down to 300 to meet make-up air codes.
- ADA compliant, remate operation is possible using a standard UL approved wall switch. Requires ADA adapter kit, HAWRK5 (sold separately, contact Customer Service Team to request Custom Accessory)
   Optional non-duct recirculation kit (RHBB DCT) and filters available for indoor exhaust recirculation to suit your needs.
- Comes with Broan-NuTone one (1) year Limited Warranty. Refer to installation guide for full details.

NOTE: Dealers should refer to the Heating Appliance Manufacturer's Specifications for individual ventilation requirements. Fabuwood is not responsible for improper blower selection or

## INTERIOR DUCTWORK KIT

RHBB DCT



- For ductless application of Broan® RHBB Blower Inserts
- Provides use of an insert in an application where it is not feasible to duct a range hood to an external location
- Includes a RHBB FLTR charcoal filter, a soffit grille, a 90-degree stack boot, a 7 in. round duct and a 6 in. to 7 in round transition
  Use with RHBB FLTR replacement charcoal filter
- Refer to the Installation Guide provided with your range hood for proper installation and

NOTE: Fabuwood recommends that all hoods be vented to the outside - consult local building codes & Heating Appliance requirements prior to ordering.

# REPLACEMENT CHARCOAL FILTER

RHBB FLTR



Replacement Charcoal Filter for RHBB DCT Interior Non-Ducted Recirculation Kit

📤 WARNING: This product can expose you to chemicals including formaldehyde exposure, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.